



EAE KNX Smart Home and Residential Solutions offers the best user experience with a wide range of products and customizable technological and stylish design of the products.

EAE's Smart Home and Residence solutions are remarkable for users and architects with a variety of materials and colors compatible with the interior, as well as providing ease of use.

Products are based on the worldwide KNX standard and enable the system to be expanded with other KNX manufactured products.



EAE group of companies have over 2,500 employees worldwide and EAE products are used in more than 100 countries. EAE Group has over 30 patents, 300 brands and 100 industrial designs.




As EAE Technology, we provide innovative and value-added solutions for KNX applications. All our products are designed, developed, manufactured and tested in our headquarters in Istanbul, Turkey. EAE Technology products are in compliance with international open standards such as KNX, DALI, TCP/IP and WiFi.

EAE Technology is a member of KNX Association and an authorized KNX training center since 2012.










With Miola Panel, you can easily control your home!

You will be able to receive all the notifications you specify and want to receive from the mobile application, and you will be able to easily learn all the details you follow with the push-notification feature.

Thanks to the Cloud server, you will not need an extra server!



Scenarios, Schedules





Color Options





Natural


Anthracite

Miola Technical Data

SCREEN SIZE	7" MIOLA KNX-TP	10.1" MIOLA KNX-TP
CPU	PX30 Chipset	PX30 Chipset
Memory	1GB	1GB
Hard Disk	8GB EMMC	8GB EMMC
Operating System	Android 8.0	Android 8.0
Power	12-30 VDC	12-30 VDC
Resolution	600x1024px	1280x800px
Touch Panel	Project Capacitive Touch	Project Capacitive Touch
Microphone	1 with Echo Cancellation	1 with Echo Cancellation
Speaker	1x8 Ohm - 2 Watts	1x8 Ohm - 2 Watts
Input	5 Digital Inputs	5 Digital Inputs
KNX Bus Connection	KNX - TP	KNX - TP
LAN	2	2
Dual Network Connectivy	Yes	Yes
Drivers	EAEOS Operating System Drivers	EAEOS Operating System Drivers
Max Accessory Limit	254	254
Max Room Limit	254	254
Intercom Standart	SIP 2.0	SIP 2.0
Onwall Dimensions	140 x 235 x 4 mm	264 x 208 x 4 mm

^{*} High voltage and overcurrent protection, insulated





Cloud Server

Thanks to Peer to Peer connection, SIP calls are made directly between devices without the need for a SIP server.



Intercom Call on Mobile

Intercom calls which are not answered from the panel are directed to mobile devices. Call on Mobile feature makes you sure that your guests will never stay at the door!

Intercom

You can use your Miola touch panel to communicate with outdoor intercom units and open apartment doors.



Push-Notification

Any information sent to the panel or created on the panel can be sent to mobile devices as a notification even if the application is not in the background.



Mobile Integration

Manage lighting, climate, blinds, alarms, intercom, with your mobile devices.

You can do anything you do with touch panel with using your smartphone.















Thermostats

Thermostat and switching control from one point with Rosa Thermostats.



Switches

Lighting, shutter/blind, scene call, speaker and DND/MUR control $\,$ with customizable Rosa keypads.





Sockets

Various color options in UK, EU and universal standards.



«rosatal Thermostats

Elegant and Minimalist Design

Rosa thermostats are designed for the needs of modern buildings. Rosa's intuitive design allows all ages to control their living space easily. New generation frameless design fits arqhitects' expectation and getting their compliments.



Touch operated



Brushed metal surface



Thermostat and switch together



Additional heating-cooling control



Frameless, minimalist design



Fully automatic heating-cooling transition



Icon options



Navigation LEDS



Feedback LEDS



Away, comfort, night and protection modes



Independent programmable buttons





2 Fold -Anthracite



2 Fold - Bronze




1 Fold - Natural



2 Fold - Gold







The Rosa Crystal switch and thermostat series, which has the same features as the metal ones in technical terms, can also be adapted to different concept designs with glass surface option. Rosa Crystal can be colored according to the selected RAL code, adapts to the demands of the interior designers and fast changing trand.



Touch operated



Icon options



4mm tempered glass surface



Navigation LEDs



Thermostat and switch together



Feedback LEDs



Additional heating-cooling control



Comfort, night, protection and away modes



Frameless, minimalist design



Independent, programmable buttons



Fully automatic heating-cooling transition





2 Fold - Black











«rosa Thermostats

Elegant and Minimalist Design

Rosa Pictus metal thermostats, which has the same features as the Crystal ones in technical terms, is bale be adapted to different concept designs with unbrushed, painted surface option. 5 different color option provides wide selection options about finishing products to users and interior designers.



Touch operated



4mm tempered glass surface



Thermostat and switch together



Additional heating-cooling control



Frameless, minimalist design



Fully automatic heating-cooling transition



Icon options



Navigation LEDs



Feedback LEDs



Comfort, night, protection and away modes



Independent, programmable buttons





1 Fold - Bronze



1 Fold - Dark Grey



2 Fold - Black




2 Fold - Light Grey



1 Fold - White







Rosa Solid thermostats are designed for the needs of modern buildings. Rosa thermostats offers a simple user interface with touch sensitive buttons that allow you to navigate through all functions in a room. Thermostat technology with today's demands and technical possibilities!



Touch operated



Glass surface



Thermostat and switch together



Additional heating-cooling control



Frameless, minimalist design



Fully automatic heating-cooling transition



Icon options



Navigation LEDs



Feedback LEDS



Away, comfort, night and protection modes



Independent programmable buttons





3 Fold - Black



1 Fold - Black


Thermostat - White













Rosa metal switches with 5 different color options add harmony and enrich to different designed homes, offices and hotel rooms. Rosa buttons can be configured independently and gives chance to users to control up tp 6 different objects.



Touch operated



Brushed metal surface



Frameless, minimalist design



Independent, programmable buttons



Optional in-built temperature sensor



Icon options



Navigation LEDs



Feedback LEDs



Various color option



Rosa 2 Fold Metal Natural Switch

Single Fold - Natural



1 Fold - Anthracite




2 Fold - Gold



3 Fold - Bronze







Rosa Crystal touch switches which has the same features as the metal ones adorn hotel rooms, homes and commercial buildings with its unlimited color options and 4mm tempered glass surface. Users are just defining the RAL code for coloring up the device.



Touch operated



4mm tempered glass surface



Frameless, minimalist design



Independent, programmable buttons



Optional in-built temperature sensor



Icon options




Navigation LEDs



Feedback LEDs






















Rosa Pictus metal switches' 5 different color options and unbrushed surface perfectly fits to interior designers expectations. Optional temperature sensors on Rosa switches, ables to measure the room temperature from different locations.



Touch operated



Brushed metal surface



Frameless, minimalist design



Independent, programmable buttons



Optional in-built temperature sensor



Icon options




Navigation LEDs



Feedback LEDs





1 Fold - Black



2 Fold - Dark Grey 1 Fold - Bronze





1 Fold - Light Grey



2 Fold - White









Rosa's intuitive design allows you to easily control your habitats. Elegant feather-touch switches with backlight logos!

Rosa Solid touch switches which has the same features as the other Rosa series ones adorn hotel rooms, homes and commercial buildings with its unlimited color options and 4mm tempered glass surface.



Touch operated



4mm tempered glass surface



Frameless, minimalist design



Independent, programmable



Optional in-built temperature sensor



Icon options



Feedback LEDs



Navigation LEDs





4 Fold - Black



3 Fold - White



2 Fold - Black



1 Fold - White







In-built temperature sensor...

It is optional to have in-built temperature sensor on switches.









Touch operated design...

Presicion detection for glass and metal surfaces.





Brushed metal surfaces...

Rosa brushed metal thermostats contain 4 different color alternatives as natural (silver), gold, bronze and anthracite









Unbrushed metal surface option...

Rosa Pictus metal series provides unbrushed, sleek surface option.



Various color option...

5 different color options for Rosa Pictus 4 different color options for Rosa Metal













All in one...

Rosa offer switching and thermostat function controls from one point.

- Lighting
- **HVAC Control**
- Shading
- **DND/MUR**
- Scene Call



Frameless design...

85 x 85mm frameless design







Unlimited color options for glass series...

All RAL codes can be applied





Independent programable buttons...

Each folds can be programmed as independent buttons.







High quality raw materials...

7000 series aluminium is used for Rosa switch & thermostat.






Additional Heating & Cooling...

In built temperature sensor is used for Rosa serial.

Rosa thermostats have automatic heating/cooling change-over function. Additional heating/cooling units can be jointed to the system.







4 mm tempered glass...

Conductive material coated glass surface is used for Rosa crystal & Rosa solid.





Status LEDs...

Users can check the status of lighting, shutter/blinds and air conditioners in their living spaces with status of LEDs.









Navigation LEDs...

It is easy and safe to reach your thermostat or switch in dark with the navigation LED on Rosa.



Customizable icon options...

Rosa offers customized icon options for glass and metal surfaces.





Solid surface option...

Rosa Solid series provide different appearence option for glass with its non-discrete buttons.





Elegant and Minimalist Design

Rosa metal, crystal and solid framed sockets are designed for 4 different standards.

- √ Universal Standard
- √ Modular Standard
- √ British Standard
- √ European Standard



Universal Standard

2M Socket - Bronze







	а	h			
2M 3M 4M 6M	85 124 144 190	85 85 85 85	h	a	-


3M Socket + Blanking Module -Natural





6M Socket - Anthracite






Modular Standard

1M Data and Blanking Module - Natural









3M Shaver Socket-Natural





6M Socket + Socket + SAT + Blind Cover - Anthracite

Dimensions







British Standard

1 Gang Socket - Bronze






1 Gang Liht Switch - Bronze



2 Gang Socket - Anthracite







European Standard

Single Data - Bronze



Single Data - Black



Double Socket + Phone - Gold



Dimensions	а	h
Single	85	85
Double	156	85
Triple	227	85
Quadruple	298	85
Quintet	369	85



Triple Socket + TV - Natural



Quadruple Socket + Data + TV - Bronze



Quintet Socket+DATA+Sat - Anthracite



Single Socket - Black Glass



Double Socket+TV/SAT - White Glass



Triple Socket+SAT+Socket - Black Glass



Quadruple Socket+Socket+TV/SAT - White Glass




	а	h	^
Single	85	85	h
Double	156	85	
Triple	227	85	a
Quadruple	298	85	
Quintet	369	85	

Quintet Socket+DATA+Socket+Sat - Black Glass



CrosaTHERMOSTAT and SWITCH ICON OPTIONS



Light On / Off

 $\textbf{Light Dim Up} \ / \ \textbf{Dim Down}$

Blind Up / Blind Down



 ${\bf Volume\ Up\ /\ Down}$

Thermostat

MUR / DND






































































































... other on request



CrosaTHERMOSTAT and SWITCH **PRODUCT CODE LEGEND**



Note: Icon grawing and front status options can not be applied at the same time on the same product.




CrosaThermostat **technical specifications**




- Can be configured with ETS5.
- Serial thermostat with metal and glass touch-button
- Temperature control via digital LCD
- Internal temperature sensor (°C/°F)
- Adjustable fan speed (1, 2, 3, Automatic)
- Multiple operation modes (Comfort, Night, Outdoor, Indoor)
- Fully automated operation feature (hot-cold transition)
- Control of all HVAC units including VRF-VRV and air conditioning devices
- PI relative, PI on-off (PWM), On/Off, Fan coil, Split unit controls
- Easy installation to 60x60 mm standard switch junctions
- 2 dependent or 4 independent programmable buttons can be programmed for various functions.
 - Switching,
 - Dimming,
 - Shutter/Blind control,
 - Value and priority assignment,
 - Scene control,
 - Status notification LED

Protection type	IP 20	EN 60529	
Safety class	II	EN 61140	
Supply	Voltage Range	21-30V DC, Supply from EIB/KNX line	
	Supply voltage	<10 mA	
Temperature	Operating	-5° C + 45° C	
	Storage	-25° C + 55° C	
CE	In accordance with EMC guideline and low voltage regulation		
Case type to be used	60mm flush-mounted and surface-mounted safes between two mounting screws according		
	to European standards		




Dimensions (mm)	а	b	h
1 Fold Thermostat	85	11	85
2 Fold Thermostat	85	11	85

Assembly Detail



Important note!

The optimum distance between the two thermostats should be at least 120 mm from center to center.



≪rosa SWITCHES **TECHNICAL SPECIFICATIONS**



- · Can be configured with ETS5.
- Serial switches with metal and glass touch-button
- Large collection option up to 4 Folds
- Product options with and without notification LED
- Optionally, icon branding is available.
- Different color options
- Easy installation to 60x60 mm standard switch junctions
- · Channels are identical, each with the following functions;
 - Switching,
 - Dimming,
 - Shutter/Blind control,
 - Value and priority assignment,
 - Scene control,
 - Status notification LED

Protection type	IP 20	EN 60529	
Safety class	II	EN 61140	
Supply	Voltage Range	21-30V DC, Supply from EIB/KNX line	
	Supply voltage	<10 mA	
Temperature	Operating	-5° C + 45° C	
	Storage	-25° C + 55° C	
CE	In accordance with EMC guideline and low voltage regulation		
Case type to be used	60mm flush-mounted and surface-mounted safes between two mounting screws according		
	to European standards		











Dimensions (mm) h b 85 Single Switch 1 Fold Switch 85 11 85 85 85 2 Fold Switch 85 85 3 Fold Switch 11


Assembly Detail



Important note!

The optimum distance between the two switches should be at least 120 mm from center to center.

















Thermostat

All devices in your home are under your control with Oria thermostats.




Switch





Socket

Socket group with eye catching design for perfect harmony.




A simple touch, unlimited comfort The result of the simp

Expandable up to 4 folds, Oria thermostat provide a wide collection of possibilities for all spaces where both thermostats and programmable switches are needed at the same time.

Oria thermostats can perform all needed operations with a single touch. Programmable buttons on Oria thermostats can control comfort and energy saving needs such as lighting, shutter/blind, scene









2 Fold Pearl White



2 Fold Mustang Gray



3 Fold Pearl White



4 Fold Antique





A simple touch, unlimited comfort


Switches

The new generation of Oria switches adds a simple and elegant touch to the world of users while fulfilling unlimited needs with its design. With rich collection options expandable to 12 buttons in a single frame, enjoy one-point management of on-site lighting, heating-cooling, shutter-blind, speakers, scene call and panic buttons controls.









A simple touch, aesthetic integrity

As the supplementary item for the new generation of thermostat and switch series, Oria power outlets reflect the integrity of your space.



TV/SAT Single Frame Antique



Data+Socket **Double Frame Pearl White**



Socket+TV/SAT **Tripple** Frame Anthracite



DATA+Socket+TV/SAT **Quadruple** Frame Pearl White



TV/SAT+Socket+Data+UPS **Quintet** Frame Mustang Gray



Socket + Socket + SAT + TV **6M** Frame Antique



Socket + SAT + TV **4M** Frame Anthracite



Socket + TV **3M** Frame Pearl White



SAT + TV **2M** Frame Mustang Gray




1M Frame Pearl White



Oria THERMOSTAT and SWITCH ICON OPTIONS



Oria THERMOSTAT and SWITCH PRODUCT CODE LEGEND



Note: Icon grawing and front status options can not be applied at the same time on the same product.








OSTAT TECHNICAL SPECIFICATIONS




- · Can be configured with ETS5.
- Serial thermostat with plastic push-button
- Temperature control via digital LCD
- Internal temperature sensor (°C/°F)
- · Adjustable fan speed (1, 2, 3, Automatic)
- Multiple operation modes (Comfort, Night, Outdoor, Indoor)
- Fully automated operation feature (hot-cold transition)
- Control of all HVAC units including VRF-VRV and air conditioning devices
- PI relative, PI on-off (PWM), On/Off, Fan coil, Split unit controls
- Easy installation to 60x60 mm standard switch junctions
- 2 dependent or 4 independent programmable buttons can be programmed for various functions.
 - Switching,
 - Dimming,
 - Shutter/Blind control,
 - Value and priority assignment,
 - Scene control,
 - Status notification LED

Protection type	IP 20	EN 60529
Safety class	II	EN 61140
Supply	Voltage Range	21-30V DC, Supply from EIB/KNX line
	Supply voltage	20 mA
	Power consumption	20 mA x 30V
Button operation life	100.000	
Temperature	Operating	-5° C + 45° C
	Storage	−25° C + 55° C
	Transport	-25° C +70° C
CE	In accordance with EMC guideline and low voltage regulation	




Dimensions (mm) h 2 Fold Thermostat 90 9 90 3 Fold Thermostat 90 4 Fold Thermostat 1.3.3

Assembly Detail



Important note!

The optimum distance between the two thermostats should be at least 120 mm from center to center.




TECHNICAL SPECIFICATIONS




- · Can be configured with ETS5.
- Serial switches with plastic push-button
- Large collection option up to 4 Folds
- Product options with and without notification LED
- Optionally, icon branding is available.
- Different color options
- Easy installation to 60x60 mm standard switch junctions
- Channels are identical, each with the following functions;
 - Switching,
 - Dimming,
 - Shutter/Blind control,
 - Value and priority assignment,
 - Scene control,
 - Status notification LED

Protection type	IP 20	EN 60529
Safety class	II	EN 61140
Supply	Voltage Range	21-30V DC, Supply from EIB/KNX line
	Supply voltage	15 mA
	Power consumption	15 mA x 30V
Button operation life	100.000	
Temperature	Operating	-5° C + 45° C
	Storage	-25° C + 55° C
	Transport	-25° C + 70° C
CE	In accordance with EMC guidelin	e and low voltage
	regulation	




Dimensions (mm)	а	b	h
Single Switch	90	9	90
1 Fold Switch	90	9	90
2 Fold Switch	90	9	90
3 Fold Switch	90	9	90
4 Fold Switch	90	9	90
5 Fold Switch	90	9	111,5
6 Fold Switch	90	9	133

Assembly Detail



Important note!

The optimum distance between the two switches should be at least 120 mm from center to center.





Product Family

The Mona Series consists of a user-friendly, elegant frameless glass design and intuitive operation, with capacitive buttons trough minimalist icons.

With its touch operated design and minimalist icons, it is suitable to be a part of your living space with its various color options.



Touch operated



Glass surface



Switch and Card Holder together



Frameless, minimalist design



RGB LED option



Icon options



Away, comfort, night and protection modes



Independent programmable buttons



Various color option

Switch



Thermostat



Switch & Thermostat





Variations

Switches

























Thermostats













Note: Please contact our technical unit for details. (eaetechnology.salessupport@eaegroup.com)
The Mona serie offers glass surface, minimalist design wide reliection rule to 5 gappof the frame. wide range of colors, wide range sogket standart options like BS European and Modulard of the code.













Technical Specifications





KNX Thermostat Side (up to 6 buttons)


- Temperature adjustment on display
- Integrated temperature sensor (°C/°F)
- Fan speed adjustment (1, 2, 3, Auto)
- Different operation modes (Comfort, Night, Away, Protection)
- Fully automatic function mode (Heat Cool transition)
- · Control flexibility for all HVAC units including VRF-VRV and AC
- PI proportional, PI PWM, Hysteresis, Fan coil, Split unit controls

KNX Switch Side (up to 12 buttons)

Independent configuration for each button

- Switching
- Dimming
- Blind Control
- Value Transmitting
- · Scene Control

Product Code Legend



Panel Devices

RCU FAMILY

EAE KNX - ROOM CONTROL UNITS



PD100 / MD100 / HD100 / CD100

EAE KNX - SENSOR



KMG103

EAE KNX - KNX Modbus Gateway



FCA100

EAE KNX - FANCOIL ACTUATOR



EAE KNX - UNIVERSAL DIMMER



SD110

EAE KNX - 1-10V DIM ACTUATOR



DA100 / DA110

EAE KNX - DALI GATEWAY



SW108 / SW104

EAE KNX - SWITCH ACTUATOR



PSU320 / PSU640

EAE KNX - POWER SUPPLY 320mA/640mA



MIO1616

EAE KNX - MULTI INPUT OUTPUT



IPR100 / IPI100

EAE KNX - IP ROUTER -IP INTERFACE



EAE KNX - LINE COUPLER



UI108

EAE KNX - UNIVERSAL



MIOLA DEMO CASE



ROSA DEMO CASE



ORIA DEMO CASE



ROSA DEMO BOX



Certificates

EAE Technology products are and will always be in compliance with international open standards such as KNX, DALI, TCP/IP and WiFi.



KNX is the worldwide standard for home and building control. KNX offers at the same time the reliability of a consolidated system, market leader for over twenty years. (470 KNX Members, 8000 Products, 470 KNX Training Centers, 83000 KNX Partners, 190 Countries)



DALI (Digital Addressable Lighting Interface) is a protocol for digital lighting control that enables the easy installation of robust, scalable and flexible lighting networks.



EU rules restricting the use of hazardous substances in electrical and electronic equipment to protect the environment and public health.



This standard is based on a number of quality management principles including a strong customer focus, the motivation and implication of top management, the process approach and continual improvement. These principles are explained in more detail in ISO's quality management principles.



The EAC certifications are issued by independent EAC certification bodies and their laboratories accredited by the relevant agencies of the five members of the EAC Economic Union: Russia, Belarus, Kazakhstan, Armenia and Kyrgyzstan.










FOLKART

Izmir



mesa HODRUM MESA DEMIRBUKU Bodrum





FOLKART BOYALIK



BODRUM NEF GOLKOY Bodrum





ALTOWER Istanbul





MESA CUBUKLU 28 Istanbul



VADIKORU RESIDENCE Istanbul





ROUTE ISTANBUL Istanbul





CENTRAL BALAT RESI-DENCE Bursa



BONNEVILLE MIHRAPLI Bursa





BRODSKY APARTMENT Russia





GAYDA ATASEHIR Izmir





BALANCE GUNESLI Istanbul



Mimaroba

DIA BELLA Istanbul





MOTTO TERRACE GARDEN Konya





Canakkale











ST REGIS RESIDENCE Oman





CLOUD NINE Russia



mesa orman MESA ORMAN II

Istanbul



mesa ÇENGELKÖY MESA CENGELKOY

Istanbul



COUNTRY SUIT Gaziantep





SPC BUILD Sapanca



PANORAMA PARK PANORAMA



co\$∕\L∧Ç∧TI

COS ALACATI Izmir



ALİ KEMAL GÜRDAL

ALI KEMAL GURDAL Antalya





PUKKA BODRUM Mugla



PUKKA MARE/NETA



Mugla



NAMET BEYLERBEYI Istanbul



TREEHOME RESIDENCE Sanliurfa



KECIOREN APARTMENTS Ankara



FERA MOGAN

PERA MOGAN

Ankara



MERYAKA RESIDENCE Konya



FLORYA MAX ROYAL Adana







Xarriott AUTOGRAPH COLLECTION' **AUTOGRAPH COLLECTION**

MARRIOTT Istanbul



Marriott

MARRIOTT SIRKECI HOTEL İstanbul



M PHASELIS/BAY

NG PHASELIS BAY HOTEL Antalya



MILLENNIUM

MILLENIUM WEST HOTEL Istanbul



THE OBA HOTEL Bodrum





RADISSON HOTEL Izmir





RADISSON BLUE HOTEL India





MABIN HURA MALDIVES Maldives



GURDAL HOTEL Istanbul





GRAND HOTEL Niger



TFF Türkiye Futbol Federasyona Turkish Foodball Federation

TFF RIVA HOTEL Istanbul



NAU HOTEL Portugal





GRAND GALATA HOTEL Istanbul





KARAVANSARAY COMPLEX STAR CITY HOTEL Kazakhistan





Greece





RIXOS PREMIUM BODRUM Mugla





RIXOS PREMIUM DUBAI UAE



DOUBLETREE

HILTON SIRKECI HOTEL Istanbul



VASQ HOTEL Mauritania





CIELO HOTEL Qatar



BENIN SOFITEL HOTEL

Benin



MÖVENPICK HOTEL & APARTMENTS

MÖVENPICK HOTEL UAE





SHERATON HOTEL Senegal



Retana

ROTANA HOTEL UAE





EMILY RESORT Lviv





Istanbul





CONDOR HOTEL Romania



RAZELM RESORT Romania





PEARL MARRAKECH HOTEL PESTANA HOTEL Marrakech



PESTANA

Casablanca



BRICK POINT HOTEL Nigeria





INEMARE Kirklareli





DR. LUTFI KIRDAR KARTAL TRAINING AND RESEARCH HOSPITAL Istanbul



TEKIRDAG CITY HOSPITAL

Tekirdag



KOCAELI CITY HOSPITAL

Kocaeli



IZMIR CITY HOSPITAL Izmir



ERZURUM CITY HOSPITAL Erzurum



GIRESUN CITY HOSPITAL Giresun



SIVAS SAMPLE HOSPITAL



MAMAK HOSPITAL Ankara



KONYA SAMPLE HOSPITAL Konya



TARSUS PUBLIC HOSPITAL Mersin



HATAY DORTYOL HOSPITAL



SAKARYA WOMEN AND MATERNITY HOSPITAL



AGRI PUBLIC HOSPITAL Agri



TAKSIM FIRST AID HOSPITAL Istanbul



MEDICANA\\

MEDICANA HOSPITAL Izmir



ALGERIA HOSPITAL PARKING LOT COMPLEX Algeria



ACIBADEM

ACIBADEM ATASEHIR HOSPITAL AND **HEADQUARTERS BUILDING** Istanbul











∧CIB∧DEM **② ABDI**IBRAHIM

ACIBADEM ADANA HOSPITAL ABDI IBRAHIM Adana



EAE ELECTRIC BUSBAR MEDICINE FACTORY **FACTORY** Kocaeli



EAE ELECTRIC CABLE **DUCT FACTORY** Kocaeli



EAE LIGHTING FACTORY











FORD V710 - SPECIAL VEHICLE AREA Istanbul



TOFAS BODY LINE FACTORY NIZIP PUBLIC HOSPITAL Istanbul Gaziantep





BILECIK BOZOYUK PUBLIC HOSPITAL Bilecik



MALATYA BATTALGAZI PUBLIC HOSPITAL Malatya









METRO ISTANBUL



AYDINLI



OYAK PORT PORT Kocaeli

ALSANCAK STADIUM

DUDULLU BOSTANCI SUBWAY LINE Istanbul

AYDINLI GROUP Istanbul



Izmir





ISTANBUL FINANCIAL CENTER BDDK BUILDING













ISTANBUL FINANCIAL CENTER HALK BANK GYO Istanbul



ISTANBUL FINANCIAL **CENTER 1-13 RECREATION** Istanbul



ISTANBUL FINANCIAL CENTER SPECIAL PROJECT AREA Istanbul



ISTANBUL FINANCIAL CENTER SIGORTA A.S.



BORSA ISTANBUL Istanbul





7th MAIN JET BASE COMMAND Malatya





THY SIMULATION BUILDING Istanbul





ORD. PROF. DR. SULHI DON-MEZER EDUCATION CENTER









PTT INTERNATIONAL CARGO TECHNOPARK PROCESSING CENTER

Istanbul





SOCIAL SECURITY CORPORATE BUILDING Kayseri



SOCIAL SECURITY CORPORATE BUILDING



DEDAŞ

DICLE ELECTRIC A.S. Diyarbakir



DISASTER and EMERGENCY MANAGEMENT CENTER Erzincan



DISASTER and EMERGENCY MANAGEMENT CENTER Kahramanmaras









HAVELSAN CENTRAL BUILDING Ankara



ETIMADEN for life

ETI MADEN ENTERPRISES Ankara





TURKCELL DATA CENTER Ankara- Corlu-Gebze



KALYON HOLDING

GENERAL CENTER





Ankara









WAR VETERANS REHABILITION CENTER Ankara





DSI ADMINISTRATIVE BUILDING





BEYKOZ NUN SCHOOLS Istanbul



ISTANBUL MEDENIYET ÜNIVERSITESI MEDENIYET UNIVERSITY LIBRARY & B BLOCK Istanbul





ÖZYEĞİN-ÜNİVERSİTESİ-

OZYEGIN UNIVERSITY Istanbul





NESIBE AYDIN EDUCATIONAL INSTUTIONS Istanbul Ankara






ALTINBAS UNIVERSITY





Ethiopia





PRESIDENCY SYMPHONY ORCHESTRA













PRESIDENCY AHLAT COMPLEX Bitlis



COMMUNICATION PRESIDENCY OF TURKEY Ankara



EMLAK PARTICIPATION BANK BUILDING & ILBANK **REGIONAL DIRECTORATE**



BURSA REGIONAL COURT OF JUSTICE Bursa



SUPREME ELECTION **BOARD BUILDING** Ankara





ALANYA COURTHOUSE Antalya





ANTALYA CENTRAL BANK Antalya













SIVAS GOVERNORSHIP Sivas





MINISTRY OF YOUTH AND **SPORT BUILDING** Istanbul





CANAKKALE MUNICIPAL BUILDING Canakkale



DULKADIROGLU MUNICIPALITY BUILDING Kahramanmaras













ISTANBUL AIRPORT **TURKISH AIRLINES BUILDINGS** Istanbul

CBI BANK

UAE





RIZE-ARTVIN AIRPORT Rize-Artvin













PARLIAMENT BUILDING Uzbekistan



30th YEAR MONUMENT Uzbekistan



KOCTAS STORES IN TURKEY Turkey

















BORSA ISTANBUL

BORSA ISTANBUL DATA CENTER



ANDAC AUTOMOTIVE

NURSERY BUILDINGS Ankara



ASELSAN GOLBASI & AKYURT TECHNOPARK 3rd STAGE B BLOCK



teknopark istanbul TECHNOPARK A BLOCK Istanbul





Tokat

Izmir













Africa

SENEGAL TURKISH EMBASSY BUILDING



HADIMKOY PEOPLE BREAD



NOKIA

NOKIA OFFICE Istanbul



SENEGAL STADYUMU Senegal





ERYAMAN STADIUM

Ankara



TÜRKİYE CUMHURİYET GENÇLİK VE SPOR BAKANLIĞI

CEMAL KAMACI SPORT COMPLEX Istanbul



top interieur





PHILIP MORRIS PHILIP MORRIS FACTORY Kazakhistan



Kalyon

KALYON SOLAR **TECHNOLOGIES FACTORY** Ankara







TEKFEN HOLDING ARCHIVE BUILDING

Adana



NUR SULTAN MOSQUE Kazakhistan







Türk Traktör

TURK TRACTOR Sakarya - Ankara







SERRWIK

KUTAHYA CERAMIC Kutahya



BSH Cerkezkoy



BAKÜ TOWER 109 Azerbaijan





KORDSA FACTORY Kocaeli

UK





RONESANS HILLTOWN AVM Izmir















VEGA MALL SUBAYEVLERI

Ankara

nevçarşı **NEV CARSI USKUDAR**

Istanbul



Eskisehir

MILAHA LOGISTIC Qatar















REPKON



GENERAL DIRECTORATE OF HIGHWAYS BUILDING Ankara



ANKARA IS GYO TOWER Ankara

REPKON FACTORY Istanbul

CAYKUR CAYKUR RIZE FACTORY Rize









ŞİŞECAM





Aksaray

TURK TELEKOM BUILDING

Türk Telekom



ZIRAAT BANK DATA

CENTER

Istanbul



HASÇELIK

Istanbul-Umraniye

SISECAM FACTORY Eskisehir-Ankara

HAS ÇELİK FACTORY Kayseri




The information in this catalogue is subject to change without notice. Datasheet and user manuals should be consulted for the most accurate and up-to-date information.

EAE Technology assumes no responsibility for any errors that may appear in this document.

2021 © EAE Technology All rights reserved





Ikitelli Organize Sanayi Bölgesi Eski Turgut Ozal Caddesi No:20 Başaksehir / Istanbul - TURKEY Tel.: +90 212 413 21 00 (pbx) Fax: +90 212 549 37 90

www.eaetechnology.com





